

Accessories Catalogue



Technologies

35 4th Street Wynberg, Sandton, 2090 • P O Box 429, Bergvlei, 2012
Tel.: 011-809-5800 • Fax: 011-887-7048 • Email: info@espa-tech.co.za

AWG 22-16/DIN 0.5-1.5MM²
RING TERMINALS


STUD SIZE:	#4/M3	#6/M3.5	#6/M3.5	#8/M4	#8/M4
VINYL INS.:	39801	39802	39802EL	39803	39803EL
NON-INS.:	09801	09802	09802EL	09803	09803EL
VINYL INS DB CRIMP:	39801D	39802D	39802ELD	39803D	39803ELD



STUD SIZE:	#10/M5	1/4"/M6	5/16"/M8	3/8"/M10
VINYL INS.:	39804	39872	39873	39874
NON-INS.:	09804	09872	09873	09874
VINYL INS DB CRIMP:	39804D	39872D	39873D	39874D

AWG 16-14/DIN 1.5-2.5MM²



STUD SIZE:	#4/M3	#6/M3.5	#6/M3.5	#8/M4	#8/M4
VINYL INS.:	39805	39861	39861EL	39806	39806EL
NON-INS.:	09805	09861	09861EL	09806	09806EL
VINYL INS DB CRIMP:	39805D	39861D	39861ELD	39806D	39806ELD



STUD SIZE:	#10/M5	#10/M5	1/4"/M6	5/16"/M8	3/8"/M10
VINYL INS.:	39807	39807EL	39808	39809	39875
NON-INS.:	09807	09807EL	09808	09809	09875
VINYL INS DB CRIMP:	39807D	39807ELD	39808D	39809D	39875D

AWG 12-10/DIN 4-6.0MM²


STUD SIZE:	#6/M3.5	#8/M4	#8/M4	#10/M5
VINYL INS.:	39800	39810	39810EL	39811
NON-INS.:	09800	09810	09810EL	09811
VINYL INS DB CRIMP:	39800D	39810D	39810ELD	39811D



STUD SIZE:	1/4"/M6	5/16"/M8	3/8"/M10	1/2"/M12
VINYL INS.:	39812	39813	39814	39815
NON-INS.:	09812	09813	09814	09815
VINYL INS DB CRIMP:	39812D	39813D	39814D	39815D

PIN TERMINALS


VINYL INS.:	39825	39825EL	39824	39824EL	39823
NON-INS.:	PT10-10	PT1	PT2-10	PT2	PT6



NON-INS.:	PT10-12NI	PT16-13NI	PT25-15NI
------------------	-----------	-----------	-----------

SPADE TERMINALS

AWG 22-16/DIN 0.5-1.5MM²



STUD SIZE: #4/M3

#6/M3.5

#6/M3.5

#8/M4

#8/M4

VINYL INS.: 39862

39863

39863EL

39864

39864EL

NON-INS.: 09862

09863

09863EL

09864

09864EL



STUD SIZE: #8/M4

#10/M5

#10/M5

1/4"/M6

1/4"/M6

VINYL INS.: 39864EW

39876

39876EL

39877

39877EL

NON-INS.: 09864EW

09876

09876EL

09877

09877EL

AWG 16-14/DIN 1.5-2.5MM²



STUD SIZE: #4/M3

#6/M3.5

#6/M3.5

#8/M4

#8/M4

VINYL INS.: 39878

39879

39879EL

39859

39859EL

NON-INS.: 09878

09879

09879EL

09859

09859EL



STUD SIZE: #8/M4

#10/M5

#10/M5

1/4"/M6

1/4"/M6

VINYL INS.: 39859EW

39865

39865EW

39880

39880EW

NON-INS.: 09859EW

09865

09865EW

09880

09880EW

AWG 12-10/DIN 4-6.0MM²



STUD SIZE: #6/M3.5

#6/M3.5

#8/M4

#8/M4

VINYL INS.: 39857

39857EW

39860

39860EW

NON-INS.: 09857

09857EW

09860

09860EW



STUD SIZE: #10/M5

1/4"/M6

5/16"/M8

VINYL INS.: 39866

39867EW

39883

NON-INS.: 09866

09867EW

09883

BLADE TERMINALS



STUD SIZE: 2.8X9.0

2.3X10.2

3.0X10.2

2.3X18.0

VINYL INS.: 36100

36101

36102

36109

NON-INS.: 06100

06101

06102

06109



STUD SIZE: 2.8X9

2.2X13

2.2X18.2

2.8X10

4.5X18.2

VINYL INS.: 36104

36105

36106

36107

36108

NON-INS.: 06104

06105

06106

06107

06108

VINYL INS. PARALLEL CONNECTORS



34016



34001



34003

VINYL INS. BUTT CONNECTORS (COPPER TUBE)



34528



34529



34530

VINYL INS. BUTT CONNECTORS (BRASS)



34527



34526



34525

NYLON INS. BUTT CONNECTORS



NBC 1



NBC 2



NBC 3

HEAT SHRINKABLE CONNECTORS WITH WATER PROOF



SBC 1




SBC 2



SBC 3

FEMALE DISCONNECTORS




NEMA TAB: .110x.020/.032 .187X.020/.032 .205X.020/.032 .250X.032 .312X.032 .250X.032

inch/mm 2.8x0.5/0.8 4.75x0.5/0.8 5.2x0.5/0.8 6.35x0.8 6.35x0.8 6.35x0.8

SINGLE CRIMP: 35178/35414 35314/35313 35300/35301 35040 36343 35047

DOUBLE CRIMP: 35178D/35414D 35314D/35313D 35300D/35301D 35040D 36343D 35047D



NEMA TAB: .110x.020/.032 .187X.020/.032 .205X.020/.032 .250X.032 .312X.032 .375S.048

inch/mm 2.8x0.5/0.8 4.75x0.5/0.8 5.2x0.5/0.8 6.35x0.8 8.0x0.8 9.5x0.8

SINGLE CRIMP: 35302/35303 35315/35312 35304/35305 35032 36020 35266

DOUBLE CRIMP: 35302D/35303D 35315D/35312D 35304D/35305D 35032D 36020D 35266D

MALE DISCONNECTORS



NEMA TAB: .110x.020/.032 .187X.020/.032 .250X.032 .110x.020/.032 .187X.020/.032 .250X.032 .250X.032

inch/mm 2.8x0.5/0.8 4.75x0.5/0.8 6.35x0.8 2.8x0.5/0.8 4.75x0.5/0.8 6.35x0.8 6.35x0.8

SINGLE CRIMP: 35145/35144 35146/35147 35135 35148/35149 35150/35151 35259 35285

DOUBLE CRIMP: 35145D/35144D 35146D/35147D 35135D 35148D/35149D 35150D/35151D 35259D 35285D

FULLY INSULATED FEMALE DISCONNECTORS




NEMA TAB: .187X.020/.032 .250X.032 .187X.020/.032 .250X.032 .250X.032 .375X.048

inch/mm 4.75x0.5/0.8 6.35x0.8 4.75x0.5/0.8 6.35x0.8 6.35x0.8 9.5x1.2

SINGLE CRIMP: 35152/35153 35180 35154/35155 35179 35156 35157

DOUBLE CRIMP: 35152D/35153D 35180D 35154D/35155D 35179D 35156D 35157D

PIGGY BACK DISCONNECTS

			
NEMA TAB:	.250x.032	.250X.032	.250X.032
inch/mm	6.35x0.8	6.35x0.8	6.35x0.8
SINGLE CRIMP:	35143	35262	35263
DOUBLE CRIMP:	35143D	35262D	35263D

BULLET & SOCKET CONNECTORS





			
Ø SIZE:	.156/4mm	.156/4mm	.195/5mm
SINGLE CRIMP:	35038	35133	35042
DOUBLE CRIMP:	35038D	35133D	35042D

			
Ø SIZE:	.156/4mm	.156/4mm	.195/5mm
SINGLE CRIMP:	35004	35051	35005
DOUBLE CRIMP:	35004D	35051D	35005D


			
Ø SIZE:	0.5 - 1.0mm	1.5 - 2.5mm	4.0 - 6.0mm
PART NUMBER:	KW-001	KW-002	KW-003

			
Ø SIZE:	0.25 - 0.35mm	0.5 - 1.0mm	1.5 - 2.5mm
MAX WIRE OD:	1.7mm	2.7mm	4.5mm
PART NUMBER:	ESS-001	ESS-002	ESS-003

QUICK SPLICE

			
SQS696100	SQS696106	SQS696500	SQS696506
			
SQS696200	SQS696206	SQS696107	SQS696207

ITEM NO.	WIRE RANGE MM ²	ØD	L	COLOUR SYSTEM		
				T	W	DIN
CES02506PI CES02508PI	0.25	0.75	6.0 8.0	VIOLET	LIGHT BLUE	
CES03406PI CES03408PI	0.34	0.80	6.0 8.0	PINK	TURQUOISE	
CES05006PI CES05008PI CES05010PI	0.50	1.0	6.0 8.0 10.0	WHITE	ORANGE	WHITE
CES07506PI CES07508PI CES07510PI CES07512PI	0.75	1.2	6.0 8.0 10.0 12.0	BLUE	WHITE	GREY
CES010006PI CES010008PI CES010010PI CES010012PI	1.0	1.4	6.0 8.0 10.0 12.0	RED	YELLOW	RED
CES015008PI CES015010PI CES015012PI CES015018PI	1.5	1.7	8.0 10.0 12.0 18.0	BLACK	RED	BLACK
CES025008PI CES025010PI CES025012PI CES025018PI	2.5	2.2	8.0 10.0 12.0 18.0	GREY	BLUE	BLUE
CES040010PI CES040012PI CES040018PI	4.0	2.8	10.0 12.0 18.0	ORANGE	GREY	GREY
CES060012PI CES060018PI	6.0	3.5	12.0 18.0	GREEN	BLACK	YELLOW
CES100012PI CES100018PI	10	4.5	12.0 18.0	BROWN	IVORY	RED
CES160012PI CES160018PI	16	5.8	12.0 18.0	IVORY	GREEN	BLUE
CES250016PI CES250022PI	25	7.3	16.0 22.0	BLACK	BROWN	YELLOW
CES350016PI CES350018PI CES350025PI	35	8.3	16.0 18.0 25.0	RED	BEIGE	RED
CES500020PI CES500025PI	50	10.3	20.0 25.0	BLUE	OLIVE	BLUE
CES700021PI	70	13.5	21.0			YELLOW
CES950025PI	95	14.7	25.0			RED
CES120027PI	120	16.7	27.0			BLUE
CES150032PI	150	19.5	32.0			YELLOW



COPPER FERRULES



FERRULES

STANDARD FERRULES


ESPA PART NO:	CABLE SIZE MM ²	A (MM)	C (MM)	J (MM)
CF1.5	1.5	1.9	3.7	12.7
CF2.5	2.5	2.4	4.2	14.3
CF4	4	2.8	4.7	16
CF6	6	3.4	5.3	17.7
CF10	10	4.4	6.3	19.8
CF16	16	5.4	7.6	22
CF25	25	7.0	9.0	24.7
CF35	35	8.2	10.7	27.5
CF50	50	10	12.8	30.8
CF70	70	11.7	15	34.4
CF95	95	13.5	17.4	38.6
CF120	120	15.5	19.8	42.9
CF150	150	17	22	48.1
CF185	185	19	24.4	53.6
CF240	240	21.5	27.7	60
CF300	300	24.5	31.3	67
CF400	400	27.5	35.6	80
CF500	500	31.6	40	90
CF630	630	34.5	41.6	110
CF800	800	40	51.2	130
CF1000	1000	44	56.6	154

XLPE FERRULES

ESPA PART NO:	CABLE SIZE MM ²	A (MM)	C (MM)	J (MM)
XCF35	35	7.3	10.5	68
XCF50	50	8.7	12.3	42
XCF70	70	10.4	14.6	43
XCF95	95	12	17	45
XCF120	120	14	19	55
XCF150	150	15.2	21.3	58
XCF185	185	17	23.7	64
XCF240	240	20	27	70
XCF300	300	21.6	30.5	75
XCF400	400	24.5	34.6	80
XCF500	500	28.5	38.9	90
XCF630	630	33	45	100




STANDARD COPPER CABLE LUGS




ESPA PART NO:	CABLE SIZE MM²	A	B	C	F	E	D	STUD SIZE	
CL 1.5-3	1.5	size	3.7	7	5.5	3.5	8	3	
CL 1.5-4					6.7	4.5	10	4	
CL 1.5-5					7.7	5.0	11	5	
CL 1.5-6					9	6.5	13	6	
CL 1.5-8					13	8.5	18	8	
CL 1.5-10					14.5	9	20	10	
CL 2.5-3	2.5	2.4	4	7.8	5.5	3.5	8	3	
CL 2.5-4					6.7	4.5	10	4	
CL 2.5-5					7.7	5.0	11	5	
CL 2.5-6					9	6.5	13	6	
CL 2.5-8					13	8.5	18	8	
CL 2.5-10					14.5	9	20	10	
CL 4-3	4	2.8	4.8	8	6.3	3.5	8	3	
CL 4-4					7	4.5	10	4	
CL 4-5					8	5.0	11	5	
CL 4-6					9	6.5	13	6	
CL 4-8					13	8.5	18	8	
CL 4-10					14.5	9	20	10	
CL 6-4	6	3.4	5.3	10	7	4.5	10	4	
CL 6-5					8	5	11	5	
CL 6-6					9	6.5	13	6	
CL 6-8					13	8.5	18	8	
CL 6-10					14.5	9	20	10	
CL 10-5	10	4.4	6.3	10.5	9	5	11	5	
CL 10-6					10	6	13	6	
CL 10-8			13		8	17	8		
CL 10-10			6.9		15	9	19	10	
CL 10-12					18	11	24	12	
CL 16-5	16	5.5	7.5	11.5	9	5	11	5	
CL 16-6					11	6.4	13	6	
CL 16-8					13	7	17	8	
CL 16-10					15.5	7.8	20	10	
CL 16-12					18	11	24	12	
CL 16-16					24	14	30	16	
CL 25-6	25	6.9	9.0	15	13.5	6	13	6	
CL 25-8					14.5	8	17	8	
CL 25-10					15.5	9	19	10	
CL 25-12					18.5	11	24	12	
CL 25-16					24	14	30	16	
CL 35-6	35	8.2	10.7	15	15.5	8	17.5	6	
CL 35-8							20.5	10	
CL 35-10							24	12	
CL 35-12				16	18	11	24	12	
CL 35-16					24	14	30	16	
CL 50-6	50	10	12.8	16	18.5	8	18	6	
CL 50-8							24	8	
CL 50-10					19.5	10	24	10	
CL 50-12				11		24	12		
CL 50-14				18	24	14	30	14	
CL 50-16							41	16	
CL 50-20							41	20	

ESPA PART NO:	CABLE SIZE MM²	A	B	C	F	E	D	STUD SIZE
CL 70-8	70	11.7	15	18.5	21	8.5	19	8
CL 70-10						10.8	21.5	10
CL 70-12							24	12
CL 70-16					24	14	30	16
CL 70-20					32	19	41	20
CL 95-8	95	13.5	17.4	20.5	25	10.5	23.5	8
CL 95-10						11		10
CL 95-12						13	27.5	12
CL 95-16					28.5	14	33	16
CL 95-20					32	19	41	20
CL 120-8	120	15.5	19.8	26.5	28.5	13	30	8
CL 120-10								10
CL 120-12								12
CL 120-16					31	15	34	16
CL 120-20					34.5	19	41	20
CL 150-8	150	17	22	28.5	30	13	31	8
CL 150-10								10
CL 150-12								12
CL 150-16					31	16	36	16
CL 150-20					34.5	19	42	20
CL 185-10	185	19	24.4	31.6	34.5	15	35	10
CL 185-12						17		12
CL 185-16							16	
CL 185-20						19	42	20
CL 240-10	240	21.5	27.7	33	39	19	42	10
CL 240-12								12
CL 240-16								16
CL 240-20								20
CL 300-10	300	24.5	31.3	35	44	20	45	10
CL 300-12								12
CL 300-16								16
CL 300-20								20
CL 400-00	400	27.5	35.6	41	50	24	47	**
CL 500-00	500	31.6	40	41.5	58	**	53	**
CL 630-00	630	34.5	44.5	53	64	**	65	**
CL 800-00	800	40	51.2	68	73	**	75	**
CL 1000-00	1000	44	56.6	75	81	**	75	**





NON-INSULATED RING TERMINALS (DIN 46234)



ITEM NO.	DIN MM ² (A.W.G.)	ØD1	ØD2	ØD3
RT2.5-1NI RT3-1NI RT3.5-1NI RT4S-1NI RT4-1NI RT5S-1NI RT5-1NI RT6S-1NI RT6-1NI RT8-1NI	0.5-1.5 (22-16)	1.6	2.7 3.2 3.7 4.3 4.3 5.3 5.3 6.5 6.5 8.4	6.0 6.0 6.0 7.0 8.0 8.0 10.0 10.0 11.0 14.0
RT3-2.5NI RT3.5-2.5NI RT4S-2.5NI RT4-2.5NI RT5S-2.5NI RT5-2.5NI RT6S-2.5NI RT6-2.5NI RT8-2.5NI RT10-2.5NI	0.5-1.5 (22-16)	2.3	3.2 3.7 4.2 4.3 5.3 5.3 6.5 6.5 8.4 10.5	6.0 6.0 6.8 8.0 8.0 10.0 10.0 11.0 14.0 18.0
RT4-6NI RT5-6NI RT6-6NI RT8-6NI RT10-6NI RT12-6NI	4-6 (12-10)	3.6	4.3 5.3 6.5 8.4 10.5 13.0	8.0 10.0 11.0 14.0 18.0 18.0
RT5-10NI RT6-10NI RT8-10NI RT10-10NI RT12-10NI	10 (8)	4.5	5.3 6.5 8.4 10.5 13.5	10.0 11.0 14.0 18.0 22.0
RT5-16NI RT6-10NI16 RT8-10NI16 RT10-10NI16 RT12-10NI16	16 (6)	5.8	5.3 6.5 8.4 10.5 13.0	11.0 11.0 14.0 18.0 22.0
RT5-25NI RT6-25NI RT8-25NI RT10-25NI RT12-25NI RT16-25NI	25 (4)	7.5	5.3 6.5 8.4 10.5 13.0 17.0	12.0 12.0 16.0 18.0 22.0 28.0
RT6-35NI RT8-35NI RT10-35NI RT12-35NI RT16-35NI	35 (2)	9.0	6.5 8.4 10.5 13.0 17.0	15.0 16.0 18.0 22.0 28.0
RT6-50NI RT8-50NI RT10-50NI RT12-50NI RT16-50NI	50 (1/0)	11.0	6.5 8.4 10.5 13.0 17.0	18.0 18.0 18.0 22.0 28.0
RT6-70NI RT8-70NI RT10-70NI RT12-70NI RT16-70NI	70 (2/0)	13.0	6.5 8.4 10.5 13.0 17.0	22.0 22.0 22.0 22.0 22.0
RT8-95NI RT10-95NI RT12-95NI RT16-95NI	95 (3/0)	15.0	8.4 10.5 13.0 17.0	24.0 24.0 24.0 28.0
RT8-120NI RT10-120NI RT12-120NI RT16-120NI	120 (4/0)	16.5	8.4 10.5 13.0 17.0	24.0 24.0 24.0 28.0
RT10-150NI RT12-150NI RT16-150NI	150 (250-300MCM)	19.0	10.5 13.0 17.0	30.0 30.0 30.0
RT10-185NI RT12-185NI RT16-185NI	185 (300-350MCM)	19.0	10.5 13.0 17.0	36.0 36.0 36.0
RT10-240NI RT12-240NI RT16-240NI	240 (350-450MCM)	23.5	10.5 13.0 17.0	38.0 38.0 38.0

TYPE	REF	WIRE MM ²	TAB WIDTH
	05040	0.5-1	6.3
	05032	>1-2.5	6.3
	05047	4-6	6.3
	06040	0.5-1	6.3
	06032	>1-2.5	6.3
	06047	4-6	6.3
	45039	0.5-1.5	6.3
	06302	1.5-2.5	8
	06310	0.5-1	6.3
	06325	1.5-2.5	6.3
	11705		6.3
	60 Amp Battery Terminal with 10mm hole	Material: Steel / Nickel Plated	
	12644	5.3	6.3
	S2563		6.3
	S6050	WELD RECEPTACLE	6.3
	12610	PCB	2.8
	17093		4.8
	12523		6.3
	17148	PCB	6.3


TYPE	REF	WIRE MM ²	TAB WIDTH
	05313	0.5-1	4.8
	05312	1.5-2.5	
	05697	0.5-1	6.3
	05696	1.5-2.5	6.3
	05698	4-6	6.3
	05003	0.5-1	Ø2.3
	05179	0.5-1	Ø1.7
	S5136	0.5-1	LONG
	S5131	0.5-1	SHORT
	05203	0.5-1.0	Ø4.0
	05205	0.5-1.0	Ø5.0
	05207	0.5-1.0	Ø6.0
	05215	>1-2.5	Ø4.0
	05217	>1-2.5	Ø5.0
	05219	>1-2.5	Ø6.0
	F HC002L	BLADE FUSE HOLDER	
	16196 562 501L	1 WAY CONNECTOR FOR 6.3 TERMINAL	
	PQ252	SOFT HOUSING FOR 6,3 TERMINALS	
	PPKL1-D60601 PPKL2T-D60601 PPKL3-D60601 PPKL4-D60601 PPKL6-D60601 PPKL8-D60601	1, 2, 3, 4, 6 & 8-WAY FEMALE CONNECTORS FOR 6.3 TERMINAL	
	PPKL1-D70601 PPKL2T-D70601 PPKL3-D70601 PPKL4-D70601 PPKL6-D70601 PPKL8-D70601	1, 2, 3, 4, 6 & 8-WAY MALE CONNECTORS FOR 6.3 TERMINAL	
	AK1935	5 PIN RELAY CONNECTOR	


PRE-WIRED CONNECTORS


TYPE	PART NO.	DESCRIPTION
	W-PPKL1-D60601	FEMALE – 1Way 6.3mm Pre Wired Connector
	W-PPKL2T-D60601	FEMALE – 2Way 6.3mm Pre Wired Connector
	W-PPKL3-D60601	FEMALE – 3Way 6.3mm Pre Wired Connector
	W-PPKL4-D60601	FEMALE – 4Way 6.3mm Pre Wired Connector
	W-PPKL6-D60601	FEMALE – 6Way 6.3mm Pre Wired Connector
	W-PPKL8-D60601	FEMALE – 8Way 6.3mm Pre Wired Connector

TYPE	PART NO.	DESCRIPTION
	W-PPKL1-D70601	MALE – 1Way 6.3mm Pre Wired Connector
	W-PPKL2T-D70601	MALE – 2Way 6.3mm Pre Wired Connector
	W-PPKL3-D70601	MALE – 3Way 6.3mm Pre Wired Connector
	W-PPKL4-D70601	MALE – 4Way 6.3mm Pre Wired Connector
	W-PPKL6-D70601	MALE – 6Way 6.3mm Pre Wired Connector
	W-PPKL8-D70601	MALE – 8Way 6.3mm Pre Wired Connector

TYPE	PART NO.	DESCRIPTION
	9700380007-0	H4 Headlamp Connector (Pre Wired with 1.5mm ² wire)


TYPE	PART NO.	DESCRIPTION
	HLC-H4	H4 Ceramic Headlamp Connector (Pre Wired with 1.5mm ² wire)

TYPE	PART NO.	DESCRIPTION
	HLC-H7	H7 Headlamp Connector (Pre Wired with 1.5mm ² wire)

TYPE	PART NO.	DESCRIPTION
	CHLC-H7	H7 Ceramic Headlamp Connector (Pre Wired with 1.5mm ² wire)

TYPE	PART NO.	DESCRIPTION
	FHC002PW	Blade Fuse Holder (Pre Wired with 1.5mm ² wire) (for ATU/MIDI fuses)
TYPE	PART NO.	DESCRIPTION
	AK1935PW	5 Pin Relay Connector (Pre Wired with 1.5mm ² wire)
TYPE	PART NO.	DESCRIPTION
	AK1935CPW	5 Pin Ceramic Relay Connector (Pre Wired with 1.5mm ² wire)
TYPE	PART NO.	DESCRIPTION
	ILFH-001	Water Resistant In Line Fuse Holder Wire size: 1.0mm ² (suitable for ATS/MINI fuses)
TYPE	PART NO.	DESCRIPTION
	BC001	Battery Clamps (600 Amps) (mnf from 1.5mm thick steel)
TYPE	PART NO.	DESCRIPTION
	BC001PW	Battery Clamps (600 Amps) (16mm ² cable x 3m Long)
TYPE	PART NO.	DESCRIPTION
	AAC001	Blade Fuse Holders – Add a circuit MINI(ATS) style Extension board for an additional fuse protected tap from an existing MINI size socket. The 2 fuses for the existing and the new circuit are oriented horizontally. Max rating: 10A
TYPE	PART NO.	DESCRIPTION
	AAC002	Blade Fuse Holders – Add a circuit MIDI(ATU/ATO) style Extension board for an additional fuse protected tap from an existing MINI size socket. The 2 fuses for the existing and the new circuit are oriented horizontally. Max rating: 10A

DT Series

PART NO: EDT04-2P	
	2-Way Receptacle. Grey Complete with wedgelock. Accommodates wire sizes 12-20 AWG.
PART NO: EDT04-3P	
	3-Way Receptacle Grey. Complete with wedgelock. Accommodates wire sizes 12-20 AWG.
PART NO: EDT04-3P-P007	
	3-Way "Y" Connector features molded-in pins. Includes two W3S-1939 keyed wedgelocks for mating plugs.
PART NO: EDT04-4P	
	4-Way Receptacle Grey. Complete with wedgelock. Accommodates wire sizes 12-20 AWG.
PART NO: EDT04-6P	
	6-Way Receptacle Grey. Complete with wedgelock. Accommodates wire sizes 12-20 AWG.
PART NO: EDT04-8P	
	8-Way Receptacle Grey. Complete with wedgelock. Accommodates wire sizes 12-20 AWG.
PART NO: EDT04-12P	
	12-Way Receptacle Grey. Complete with wedgelock. Accommodates wire sizes 12-20 AWG.
PART NO: EDT06-2S	
	2-Way Plug. Grey. Complete with wedgelock. Accommodates wire sizes 12-20 AWG.
PART NO: EDT06-3S	
	3-Way Plug Grey. Complete with wedgelock. Accommodates wire sizes 12-20 AWG.
PART NO: EDT06-4S	
	4-Way Plug Grey. Complete with wedgelock. Accommodates wire sizes 12-20 AWG.
PART NO: EDT06-6S	
	6-Way Plug Grey. Complete with wedgelock. Accommodates wire sizes 12-20 AWG.
PART NO: EDT06-8S	
	8-Way Plug Grey. Complete with wedgelock. Accommodates wire sizes 12-20 AWG.
PART NO: EDT06-12S	
	12-Way Plug Grey. Complete with wedgelock. Accommodates wire sizes 12-20 AWG.

DTM Series

PART NO: EDTM04-2P	
	2-Way Receptacle Grey. Complete with wedgelock. Accommodates wire sizes 16-22 AWG.
PART NO: EDTM04-3P	
	3-Way Receptacle Grey. Complete with wedgelock. Accommodates wire sizes 12-20 AWG.
PART NO: EDTM04-4P	
	4-Way Receptacle Grey. Complete with wedgelock. Accommodates wire sizes 16-22 AWG.
PART NO: EDTM04-6P	
	6-Way Receptacle Grey. Complete with wedgelock. Accommodates wire sizes 16-22 AWG.
PART NO: EDTM04-8P	
	8-Way Receptacle Grey. Complete with wedgelock. Accommodates wire sizes 16-22 AWG.
PART NO: EDTM04-12P	
	12-Way Receptacle Grey. Complete with wedgelock. Accommodates wire sizes 16-22 AWG.
PART NO: EDTM06-2S	
	2-Way Plug Grey. Complete with wedgelock. Accommodates wire sizes 16-22 AWG.
PART NO: EDTM06-3S	
	3-Way Plug Grey. Complete with wedgelock. Accommodates wire sizes 16-22 AWG.
PART NO: EDTM06-4S	
	4-Way Plug Grey. Complete with wedgelock. Accommodates wire sizes 16-22 AWG.
PART NO: EDTM06-6S	
	6-Way Plug Grey. Complete with wedgelock. Accommodates wire sizes 16-22 AWG.
PART NO: EDTM06-8S	
	8-Way Plug Grey. Complete with wedgelock. Accommodates wire sizes 16-22 AWG.
PART NO: EDTM06-12S	
	12-Way Plug Grey. Complete with wedgelock. Accommodates wire sizes 16-22 AWG.

DTP Series

PART NO: EDTP04-2P	
	2-Way Receptacle Grey. Complete with wedgelock Accommodates wire sizes 10-14 AWG.
PART NO: EDTP04-4P	
	4-Way Receptacle , Grey. Complete with wedgelock Accommodates wire sizes 10-14 AWG.
PART NO: EDTP06-2S	
	2-Way Plug Grey. Complete with wedgelock. Accommodates wire sizes 10-14 AWG
PART NO: EDTP06-4S	
	4-Way Plug Grey. Complete with wedgelock Accommodates wire sizes 10-14 AWG.

HD Series

PART NO: EHD16-9-1939S	
	Wire Size: 14-20 AWG — 9 Cavity.
PART NO: EHD 16-3-96S	
	Wire Size: 14-20 AWG — 3 Cavity
PART NO: EHD10-9-1939P	
	Wire Size: 14-20 AWG — 9 Cavity
PART NO: EHD 14-3-96P	
	Wire Size: 14-20 AWG — 3 Cavity
PART NO: EHD10-3-96P	
	Wire Size: 14-20 AWG — 3 Cavity

Accessories - wedges for DT series

PART NO: EW2P	
	Wedgelock, Green, fits DT Series 2-way Receptacles.
PART NO: EW2S	
	Wedgelock, Orange, fits DT Series 2-way Plugs.
PART NO: EW3P	
	Wedgelock, Green, fits DT Series 3-way Receptacles.

Accessories - wedges for DT series

PART NO: EW3S	
	Wedgelock, Orange, fits DT Series 3-way Plugs.
PART NO: EW4P	
	Wedgelock, Green, fits DT Series 4-way Receptacles.
PART NO: EW4S	
	Wedgelock, Orange, fits DT Series 4-way Plugs.
PART NO: EW6P	
	Wedgelock, Green, fits DT Series 6-way Receptacles.
PART NO: EW6S	
	Wedgelock, Orange fits DT Series 6-way Plugs.
PART NO: EW8P	
	Wedgelock, Green, fits DT Series 8-way Receptacles.
PART NO: EW8S	
	Wedgelock, Orange, fits DT Series 8-way Plugs.
PART NO: EW12P	
	Wedgelock, Green, fits DT Series 12-way Receptacles.
PART NO: EW12S	
	Wedgelock, Orange, fits DT Series 12-way Plugs.

Accessories - wedges for DTM series

PART NO: EWM2P	
	Wedgelock, Orange, fits DTM Series 2-way Receptacles.
PART NO: EWM2S	
	Wedgelock, Orange fits DTM Series 2-way Plugs.
PART NO: EWM3P	
	Wedgelock, Orange, fits DTM Series 3-way Receptacles.
PART NO: EWM3S	
	Wedgelock, Orange, fits DTM Series 3-way Plugs.

Accessories - wedges for DTM series

PART NO: EWM4P	
	Wedge, Orange fits DTM Series 4-way Receptacles.
PART NO: EWM4S	
	Wedge, Orange fits DTM Series 4-way Plugs.
PART NO: EWM6P	
	Wedge, Orange, fits DTM Series 6-way Receptacles.
PART NO: EWM6S	
	Wedge, Orange fits DTM Series 6-way Plugs.
PART NO: EWM8P	
	Wedge, Orange, fits DTM Series 8-way Receptacles.
PART NO: EWM8S	
	Wedge, Orange, fits DTM Series 8-way Plugs.
PART NO: EWM12P	
	Wedge, Orange, fits DTM Series 12-way Receptacles.
PART NO: EWM12S	
	Wedge, Orange fits DTM Series 12-way Plugs.

Accessories - wedges for DTP series

PART NO: EWP2P	
	Wedge, Orange, fits DTP Series 2-way Receptacles.
PART NO: EWP2S	
	Wedge, Orange fits DTP Series 2-way Plugs.
PART NO: EWP4P	
	Wedge, Orange fits DTP Series 4-way Receptacles.
PART NO: EWP4S	
	Wedge, Orange, fits DTP Series 4-way Plugs.

Accessories - pins & sockets for DT series

PART NO: EP0460-202-16141	
	Pin, Solid, Nickel 16-20 AWG
PART NO: ES0462-201-16141	
	Socket, Solid, Nickel 16-20 AWG
PART NO: EP0460-215-16141S	
	Pin, Solid, Nickel (with Green Stripe) 14 AWG
PART NO: ES0462-209-16141S	
	Socket, Solid, Nickel (with Green stripe) 14 AWG

Accessories - pins & sockets for DTM series

PART NO: EP0460-202-20141	
	Pin, Solid, Nickel 18-20 AWG
PART NO: ES0462-201-20141	
	Socket, Solid, Nickel 18-20 AWG

Accessories - pins & sockets for DTP series

PART NO: ES0462-203-12141	
	Socket, Solid, Nickel 12-14 AWG
PART NO: EP0460-204-12141	
	Pin, Solid, Nickel 12-14 AWG

Accessories - pins & sockets for HD series

PART NO: EP0460-204-12141	
	Pin, Solid, Nickel 12-14 AWG
PART NO: ES0462-203-12141	
	Socket, Solid, Nickel 12-14 AWG

Note:

Should you wish to order the complete kit ie: connector, wedge and pin/socket please use the letter "K" after the part number. (eg: EDT04-2PK)

STEEL GALVANIZED CONDUIT SADDLE



Technical Data:
Available Sizes: 20, 25 & 32mm

PERFORATED COPPER EARTH STRAP




Technical Data:
Copper 12 x 0.4mm
Pack Size: 10m Roll

ASSORTED CONNECTORS



Can't find the connector you're looking for?
Contact ESPA Technologies with your requirements,
connector details or a photograph of the connector, and
our team will assist you in finding the right product for
your application.

Send your images & enquiry to info@espa-tech.co.za



CRIMP PLIERS



S-30J



HC-001



LS-700D

VARIOUS MODELS AVAILABLE DEPENDING ON APPLICATION

Deutsch Crimp Tools



EHDT-4800



ECKK302



35 4th Street Wynberg, Sandton, 2090
P O Box 429, Bergvlei, 2012
Tel.: 011-809-5800
Fax: 011-887-7048
Email: info@espa-tech.co.za